IN THE CLAIMS

Please amend the claims as follows:

1. (Original) A titration package for enabling compliance with a regimen of changing dosage of medication over a period of time, the package comprising:

a backing having an array of receivers, said array including a plurality of columns and a plurality of rows;

a plurality of sets of tablets, each tablet in a set having a common dose of the medication and a different dose than a tablet of a different set, each set being disposed in receivers of one of an adjacent row and an adjacent column; and

indicia disposed adjacent the columns and rows for displaying common days and successive weeks.

- 2. (Original) The package according to claim 1 wherein different sets of tablets are disposed in different rows, each row being indicated as a successive week, each column being indicated as a different day of the week.
- 3. (Original) The package according to claim 2 wherein sets of tablets having increased doses are disposed in recesses of rows indicated as successive weeks.
- 4. (Original) The package according to claim 3 wherein the sets of tablets have 5mg, 10mg, 15mg, and 20mg doses of Memantine.

- 5. (Original) The package according to claim 1 wherein different sets of tablets are disposed in different columns, each column being indicated as a successive week, each row being indicated as a different day of the week.
- 6. (Original) The package according to claim 5 wherein sets of tablets have increased doses are disposed in receivers of columns indicated as successive weeks.
- 7. (Original) The package according to claim 6 wherein the sets of tablets have 5mg, 10mg, 15mg and 20mg doses of Memantine.
- 8. (Original) A titration package for enabling compliance with a regimen of changing dosage of medication over a period of time, the package comprising:
- a backing having an array of receivers, said array including a plurality of columns and a plurality of rows;
- a plurality of sets of tablets, each tablet in a set having a common dose of the medication and a different dose than a tablet of a different set, each set being disposed in receivers of a plurality of adjacent rows or a plurality of adjacent columns; and

indicia disposed adjacent the columns and rows for displaying common days and successive weeks.

9. (Original) The package according to claim 8 wherein pairs of adjacent rows have differing sets of tablets.

- 10. (Currently Amended) The package according to claim 9 wherein each <u>rows</u> is indicated as a successive week and each column is indicated as a different day of the week.
- 11. (Original) The package according to claim 10 wherein sets of tablets having increased doses are disposed in receivers of adjacent pairs of rows.
- 12. (Original) The package according to claim 11 wherein the sets of tablets have 5mg, 10mg, 15mg and 20mg doses of Memantine.
- 13. (Original) The package according to claim 8 wherein pairs of adjacent columns have differing sets of tablets.
- 14. (Original) The package according to claim 13 wherein each column is indicated as a successive week and each row is indicated as a different day of the week.
- 15. (Original) The package according to claim 14 wherein sets of tablets having increased doses are disposed in receivers of adjacent pairs of columns.
- 16. (Original) The package according to claim 15 wherein the sets of tablets have 5mg, 10mg, 15mg and 20 doses of Memantine.
- 17. (Original) A method for enabling compliance with a regimen of changing dosage of medication, the method comprises the steps of:

providing a backing having an array of receivers, said array including a plurality of columns and a plurality of rows;

disposing a plurality of sets of tables in the receivers, each tablet in a set having a common dose of medication and a different dose than a tablet of a different set, each set being disposed in receivers of one of an adjacent row and an adjacent column; and

providing indicia adjacent the columns and rows indicating common days and successive weeks.

- 18. (Original) A method of treating a human patient to reduce damage to retinal ganglion cells associated with glaucoma, said method comprising providing a titration package for enabling compliance with a regimen of changing dosage of medication over a period of time, the package comprising:
- a backing having an array of receivers, said array including a plurality of columns and a plurality of rows;
- a plurality of sets of tablets, each tablet in a set having a common dose of the medication and a different dose than a tablet of a different set, each set being disposed in receivers of one of an adjacent row and an adjacent column; and

indicia disposed adjacent the columns and rows for displaying common days and successive weeks.

19. (Original) The method according to claim 18 wherein the medication comprises Memantine.

- 20. (Original) The method according to claim 18 wherein different sets of tablets are disposed in different rows, each row being indicated as a successive week, each column being indicated as a different day of the week.
- 21. (Original) The method according to claim 18 wherein sets of tablets having increased doses are disposed in recesses of rows indicated as successive weeks.
- 22. (Original) The method according to claim 18 wherein the sets of tablets have 5mg, 10mg, 15mg, and 20mg doses of Memantine.
- 23. (Original) The method according to claim 18 wherein different sets of tablets are disposed in different columns, each column being indicated as a successive week, each row being indicated as a different day of the week.
- 24. (Original) The method according to claim 23 wherein sets of tablets have increased doses are disposed in receivers of columns indicated as successive weeks.
- 25. (Original) The method according to claim 18 wherein the sets of tablets have 5mg, 10mg, 15mg and 20mg doses of Memantine.